



Pre-Configured Catalog



PRE-CONFIGURED OUTDOOR CABINETRY

Pre-Configured Outdoor Kitchens combined with your personal touch.

Are you looking to simplify the design process? Choose to start with one of our most popular configurations. Add your custom enhancements to create a beautiful outdoor kitchen that will last a lifetime. Our pre-configured units give you an exceptional user experience while allowing you customization of the finishes, countertops, appliances and more.

Order Details:

1. Select the Type of Configuration. (Island Style or Against a Wall)
2. Customize your Configuration (Straight Run or L-Shaped)
3. Choose your Layout.
4. Choose your Cabinet Color.
5. Choose your Door Style.
6. Choose your Edge Detail.
7. Choose your Door/Drawer Pulls (or choose to supply your own).
8. Choose your Countertop Color. (or choose to supply your own).
9. Choose your Appliances (pick as many needed for your configuration or choose to supply your own).

Have your own layout in mind?

Add a personal touch to your kitchen with our custom outdoor cabinets. If you have a different vision in mind for the look and size of your outdoor kitchen, we can help you bring it to life with various personalization options. We offer many options for outdoor cabinet customization. Contact your local dealer for help.



Enjoy durability & sustainability without sacrificing beauty & luxury.

Our outdoor cabinets are unlike anything else on the market in many ways. Open Air Cabinetry by DeSavino & Sons have a luxurious look, are durable, and guaranteed to satisfy your unique design tastes.




HDPE STANDARD COLORS

MATTE FINISH




Black



White



Moss Grey




Summit Sage



Glacier Grey



Dolphin Grey



Indigo




Sedona



Chestnut



Nugget



Wrought Iron

• Colors may vary slightly from product sample.

HDPE PREMIUM COLORS


TEXTURED FINISH



**Nickel Rotary
Brushed**




**Stainless Steel
Rotary Brushed**



**Stainless Steel
Hammered**

WOODGRAIN VARIEGATED FINISH




Teak



Dark Ash



Northeastern Walnut



Olyphant Oak




Susquehanna Grey

WOODGRAIN SOLID FINISH



Elm



Ironwood

• Colors may vary slightly from product sample.

Standard HDPE Door Styles

These doors are designed using solid 3/4" thick High Density Polyethylene (HDPE). Available in Doors, Drawer Fronts =/> 9" high, and Finished Back and Side Panels.



Simple



Riviera Maya



Country Living




Cape Cod



Sanibel Shaker



Captiva Shaker



Venice



Denver



Naples



Indoor & Outdoor Cabinetry | Product Specifications

High Density Polyethylene (HDPE) - SPECIFIER BENEFITS

- Made in the USA
- All HDPE Cabinets and Doors are covered under our Limited Lifetime Warranty.
- Waterproof—resists mold, mildew, fungus and bacteria
- Solid 3/4" thick High Density Polyethylene (HDPE) marine grade polymer with color throughout.
- Superior UV Stabilization
- Easy to clean and Maintenance Free
- Contains no natural wood material. Therefore, they are safe from animals, bugs, and any other harmful insects.
- FDA & USDA approved for food contact
- Made from recycled materials, 100% recyclable,
- Factory responsible recycling
- Contains 25%-75% post-industrial content
- No painting means no VOC emissions
- Improved air quality
- Excellent Corrosion Resistance
- Will not Delaminate or Swell
- Solid Core Color


HDPE Edge Profiles

Choose from a large selection of HDPE edge profiles. Each edge compliments the door or drawers and adds a unique appearance to your outdoor cabinets.



HDPE Drawer Box Colors

The default drawer box color is White, however Black can also be substituted upon request.



White
Matte Finish
(Default)



Black
Matte Finish

Door/Drawer Pulls and Knobs

These Pulls are 96mm Center to Center, Type 316 Stainless Steel with a High resistance to corrosion, non magnetic, resistant to cleaning chemicals and are suited for Marine Grade Outdoor Applications.

Composition: • 16% chrome • 10% nickel • 2% molybdenum



2102



332



2451



SW6



3409



340

These Pulls are 96mm Center to Center, Type 304 Stainless Steel with a Medium resistance to corrosion, non magnetic, and are suited for Outdoor applications with dry conditions/Indoor applications with humidity.

Composition: • 18% chrome • 8% nickel • Sulfur



DSI350

Door/Drawer Pulls		
Model Number	Description	
2102	Modern Pull, 152mm length, 96 mm Ctr, 316 s/s	
332	Functional Pull, 96 mm Ctr, 316 s/s	
2451	Modern Pull, 96 mm Ctr, 316 s/s	
SW6	Modern Pull, 96 mm Ctr, 316 s/s	
3409	Modern Pull, 96 mm Ctr, 316 s/s	
340	Modern Knob, 25mm Dia, 316 s/s	
DSI350	Modern Edge Pull, 128mm length, 96 mm Ctr, 304 s/s	

Corian® Solid Surface Countertops



These colors of Corian® Solid Surface exhibit good color stability and enduring beauty that can weather the elements. These qualities make Corian® an excellent choice when designing outdoors.


- Good Color Stability
- Low Moisture Absorption
- Resistant to Environmental Pollutants
- Resistant to Humidity
- Resistant to Freeze-Thaw Conditions

* Refer to Corian solid surface technical bulletin, Color fastness and exterior use of Corian solid surface sheet, K-27409-GL 3/23


Countertop Substrate is Marine Grade Expanded PVC.

- Great Screw Retention
- High Strength-to-Weight Ratio
- Insect Resistant
- Weatherability (UV Stabilized)
- Will Not Rot, Swell, or Peel
- 100% Recyclable

Available in 8 Colors




White Jasmine




Antarctica




Savannah



Aurora



Deep Night Sky



Ash Concrete



Silt



Doeskin



Huntington Brass, Isabelle Classic Style Pull-Down, Two-Setting Sprayer w/ Magnetic Docking, Satin Nickel Finish.



C-Tech-I Type 304 Stainless Steel Undermount Sink, LI-500
17-3/4" X 20-3/4"
Depth: 10"
(24" Wide Cabinets)



C-Tech-I Type 304 Stainless Steel Undermount Sink, LI-5050
31-3/4" X 18" Depth: 9" / 9"
(36" Wide Cabinets)

- Colors may vary slightly from product sample.

Note:

Includes Sink, Faucet, Grid, Drain and Colander.
Applies to cabinet configurations that have sinks.

Pricing Key

Price Group 1- HDPE Standard Colors

- HDPE Cabinetry with Standard HDPE color options.
- Includes Matte Finish options.
- Cabinet boxes and exterior will be made from the same Standard HDPE color options.
- Includes Standard HDPE Door Style options.

Price Group 2 - HDPE Premium Colors

- HDPE Cabinetry with Premium HDPE color options.
- Includes Textured Finish and Woodgrain Finish options
- HDPE Woodgrain Finish exterior color selections will have cabinet boxes that will be a Matte Finish HDPE color of choice to compliment the exterior Woodgrain HDPE color.
- Includes Standard HDPE Door Style options.

HDPE Woodgrain Colors

Cabinet boxes will be a Standard Matte Finish HDPE color of your choice to compliment the exterior HDPE Woodgrain Color.



Filler-Base Cabinet

Model #	Description
BF15-30	FILLER FOR BASE CABINET, 1.5" WIDE X 30.5" TALL
BF3-30	FILLER FOR BASE CABINET, 3" WIDE X 30.5" TALL


Note:

Optional Fillers as needed for against wall corner installations.



- Residential Delivery // Lift Gate
- Delivery Notification (Freight Company to call once shipment arrives at their terminal, then calls dealer to schedule a day and time to deliver)
- Excessive Length (Items 95" and longer incur an excessive length fee)

Straight Run - 2 Prep Areas



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

STRAIGHT RUN - 2 PREP AREAS

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PAI	Straight Run - 2 Prep Area, Island Style	None	None
Island Style	OASR2PAIC	Straight Run - 2 Prep Area, Island Style	Corian Solid Surface	None
Against Wall	OASR2PAW	Straight Run - 2 Prep Area, Against Wall	None	None
Against Wall	OASR2PAWC	Straight Run - 2 Prep Area, Against Wall	Corian Solid Surface	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PAI	Straight Run - 2 Prep Area, Island Style	None	None
Island Style	OASR2PAI	Straight Run - 2 Prep Area, Island Style	Corian Solid Surface	None
Against Wall	OASR2PAW	Straight Run - 2 Prep Area, Against Wall	None	None
Against Wall	OASR2PAW	Straight Run - 2 Prep Area, Against Wall	Corian Solid Surface	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.


Straight Run - 2 Prep Areas



ELEVATION
STRAIGHT RUN - 2 PREP AREA




PLAN VIEW
STRAIGHT RUN - 2 PREP AREA
(ISLAND)



PLAN VIEW
STRAIGHT RUN - 2 PREP AREA
(AGAINST WALL)

Straight Run - 2 Prep Areas with Drawers



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

STRAIGHT RUN - 2 PREP AREAS WITH DRAWERS

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PADI	Straight Run - 2 Prep Areas with Drawers, Island Style	None	None
Island Style	OASR2PADIC	Straight Run - 2 Prep Areas with Drawers, Island Style	Corian SS	None
Against Wall	OASR2PADW	Straight Run - 2 Prep Areas with Drawers, Against Wall	None	None
Against Wall	OASR2PADWC	Straight Run - 2 Prep Areas with Drawers, Against Wall	Corian SS	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PADI	Straight Run - 2 Prep Areas with Drawers, Island Style	None	None
Island Style	OASR2PADIC	Straight Run - 2 Prep Areas with Drawers, Island Style	Corian SS	None
Against Wall	OASR2PADW	Straight Run - 2 Prep Areas with Drawers, Against Wall	None	None
Against Wall	OASR2PADWC	Straight Run - 2 Prep Areas with Drawers, Against Wall	Corian SS	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.


Straight Run - 2 Prep Areas with Drawers



ELEVATION
STRAIGHT RUN - 2 PREP AREA WITH DRAWERS




PLAN VIEW
STRAIGHT RUN - 2 PREP AREA WITH DRAWERS
(ISLAND)



PLAN VIEW
STRAIGHT RUN - 2 PREP AREA WITH DRAWERS
(AGAINST WALL)

Straight Run - 2 Prep Areas & 24" Refrigerator



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

** Accommodates most 24" Outdoor Refrigerators
Cutout Dimensions: 34 7/16" High x 24" Wide x 25 3/4" Deep

STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PARI	Straight Run - 2 Prep Areas & 24" Refrigerator, Island Style	None	None
Island Style	OASR2PARIC	Straight Run - 2 Prep Areas & 24" Refrigerator, Island Style	Corian SS	None
Against Wall	OASR2PARW	Straight Run - 2 Prep Areas & 24" Refrigerator Against Wall	None	None
Against Wall	OASR2PARWC	Straight Run - 2 Prep Areas & 24" Refrigerator Against Wall	Corian SS	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PARI	Straight Run - 2 Prep Areas & 24" Refrigerator, Island Style	None	None
Island Style	OASR2PARIC	Straight Run - 2 Prep Areas & 24" Refrigerator, Island Style	Corian SS	None
Against Wall	OASR2PARW	Straight Run - 2 Prep Areas & 24" Refrigerator Against Wall	None	None
Against Wall	OASR2PARWC	Straight Run - 2 Prep Areas & 24" Refrigerator Against Wall	Corian SS	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.


Straight Run - 2 Prep Areas & 24" Refrigerator



ELEVATION
STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR




PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR
(ISLAND)



PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR
(AGAINST WALL)

Straight Run - 2 Prep Areas & Sink



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

STRAIGHT RUN - 2 PREP AREAS & SINK

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PASI	Straight Run - 2 Prep Areas & Sink, Island Style	None	None
Island Style	OASR2PASIC	Straight Run - 2 Prep Areas & Sink, Island Style	Corian SS	None
Against Wall	OASR2PASW	Straight Run - 2 Prep Areas & Sink, Against Wall	None	None
Against Wall	OASR2PASWC	Straight Run - 2 Prep Areas & Sink, Against Wall	Corian SS	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PASI	Straight Run - 2 Prep Areas & Sink, Island Style	None	None
Island Style	OASR2PASIC	Straight Run - 2 Prep Areas & Sink, Island Style	Corian SS	None
Against Wall	OASR2PASW	Straight Run - 2 Prep Areas & Sink, Against Wall	None	None
Against Wall	OASR2PASWC	Straight Run - 2 Prep Areas & Sink, Against Wall	Corian SS	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.


Straight Run - 2 Prep Areas & Sink



ELEVATION
STRAIGHT RUN - 2 PREP AREAS & SINK




PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & SINK
(ISLAND)



PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & SINK
(AGAINST WALL)

Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

**Accommodates most 26" or Smaller Pizza Ovens
Maximum Insulated Liner cutouts: 27" Wide x 25 1/2" Deep

STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 PIZZA OVEN

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PAGOI	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Island Style	None	None
Island Style	OASR2PAGOIC	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Island Style	Corian SS	None
Against Wall	OASR2PAGOW	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Against Wall	None	None
Against Wall	OASR2PAGOWC	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Against Wall	Corian SS	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PAGOI	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Island Style	None	None
Island Style	OASR2PAGOIC	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Island Style	Corian SS	None
Against Wall	OASR2PAGOW	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Against Wall	None	None
Against Wall	OASR2PAGOWC	Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven, Against Wall	Corian SS	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.


Straight Run - 2 Prep Areas & 1 Grill/1 Pizza Oven



ELEVATION
STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 PIZZA OVEN




PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 PIZZA OVEN
(ISLAND)



PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 PIZZA OVEN
(AGAINST WALL)

Straight Run - 2 Prep Areas & 24" Refrigerator and Sink



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

** Accommodates most 24" Outdoor Refrigerators
Cutout Dimensions: 34 7/16" High x 24" Wide x 25 3/4" Deep

STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR AND SINK

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PARSI	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Island Style	None	None
Island Style	OASR2PARSIC	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Island Style	Corian SS	None
Against Wall	OASR2PARSW	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Against Wall	None	None
Against Wall	OASR2PARSWC	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Against Wall	Corian SS	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PARSI	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Island Style	None	None
Island Style	OASR2PARSIC	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Island Style	Corian SS	None
Against Wall	OASR2PARSW	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Against Wall	None	None
Against Wall	OASR2PARSWC	Straight Run - 2 Prep Areas & 24" Refrigerator and Sink, Against Wall	Corian SS	None

* Optional Appliances available. See catalog for options that are appropriate for each configuration


** Optional Door/Drawer Pulls available. See catalog for design options.

Straight Run - 2 Prep Areas & 24" Refrigerator and Sink




ELEVATION

STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR AND SINK



PLAN VIEW


STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR AND SINK
(ISLAND)



PLAN VIEW

STRAIGHT RUN - 2 PREP AREAS & 24" REFRIGERATOR AND SINK
(AGAINST WALL)

Straight Run - 2 Prep Areas & Burner



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

**Accommodates most 16" or Smaller Side Burners
Maximum Insulated Liner cutouts: 17" Wide x 24 1/2" Deep

STRAIGHT RUN - 2 PREP AREAS & BURNER

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PABI	Straight Run - 2 Prep Areas & Burner, Island Style	None	None
Island Style	OASR2PABIC	Straight Run - 2 Prep Areas & Burner, Island Style	Corian SS	None
Against Wall	OASR2PABW	Straight Run - 2 Prep Areas & Burner, Against Wall	None	None
Against Wall	OASR2PABWC	Straight Run - 2 Prep Areas & Burner, Against Wall	Corian SS	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PABI	Straight Run - 2 Prep Areas & Burner, Island Style	None	None
Island Style	OASR2PABIC	Straight Run - 2 Prep Areas & Burner, Island Style	Corian SS	None
Against Wall	OASR2PABW	Straight Run - 2 Prep Areas & Burner, Against Wall	None	None
Against Wall	OASR2PABWC	Straight Run - 2 Prep Areas & Burner, Against Wall	Corian SS	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.


Straight Run - 2 Prep Areas & Burner



ELEVATION
STRAIGHT RUN - 2 PREP AREAS & BURNER




PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & BURNER
(ISLAND)



PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & BURNER
(AGAINST WALL)

Straight Run - 2 Prep Areas & 1 Grill/1 Griddle



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

**Accommodates most 30" or Smaller Gas Griddles
Maximum Insulated Liner cutouts: 31" Wide x 25 1/2" Deep

STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 GRIDDLE

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PAGGI	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Island Style	None	None
Island Style	OASR2PAGGIC	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Island Style	Corian SS	None
Against Wall	OASR2PAGGW	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Against Wall	None	None
Against Wall	OASR2PAGGWC	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Against Wall	Corian SS	None


PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OASR2PAGGI	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Island Style	None	None
Island Style	OASR2PAGGIC	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Island Style	Corian SS	None
Against Wall	OASR2PAGGW	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Against Wall	None	None
Against Wall	OASR2PAGGWC	Straight Run - 2 Prep Areas & 1 Grill/1 Griddle, Against Wall	Corian SS	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.


Straight Run - 2 Prep Areas & 1 Grill/1 Griddle



ELEVATION
STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 GRIDDLE




PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 GRIDDLE
(ISLAND)



PLAN VIEW
STRAIGHT RUN - 2 PREP AREAS & 1 GRILL/1 GRIDDLE
(AGAINST WALL)

L Shaped - Small Prep Area



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

** Accommodates most 24" Outdoor Refrigerators
Cutout Dimensions: 34 7/16" High x 24" Wide x 25 3/4" Deep

L SHAPED - SMALL PREP AREA

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OALSSPAI	L Shaped - Small Prep Area, Island Style	None	None
Island Style	OALSSPAIC	L Shaped - Small Prep Area, Island Style	Corian SS	None
Against Wall	OALSSPAW	L Shaped - Small Prep Area, Against Wall	None	None
Against Wall	OALSSPAWC	L Shaped - Small Prep Area, Against Wall	Corian SS	None



PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OALSSPAI	L Shaped - Small Prep Area, Island Style	None	None
Island Style	OALSSPAIC	L Shaped - Small Prep Area, Island Style	Corian SS	None
Against Wall	OALSSPAW	L Shaped - Small Prep Area, Against Wall	None	None
Against Wall	OALSSPAWC	L Shaped - Small Prep Area, Against Wall	Corian SS	None


* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.

L Shaped - Small Prep Area



L Shaped - Large Prep Area with Sink



* Accommodates most 34" or Smaller Gas Grills
Maximum Insulated Liner cutouts: 35" Wide x 24 1/2" Deep

** Accommodates most 24" Outdoor Refrigerators
Cutout Dimensions: 34 7/16" High x 24" Wide x 25 3/4" Deep

L SHAPED - LARGE PREP AREA WITH SINK

PRICE GROUP 1 - HDPE STANDARD COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OALSLPASI	L Shaped - Large Prep Area with Sink, Island Style	None	None
Island Style	OALSLPASI	L Shaped - Large Prep Area with Sink, Island Style	Corian SS	None
Against Wall	OALSLPASW	L Shaped - Large Prep Area with Sink, Against Wall	None	None
Against Wall	OALSLPASW	L Shaped - Large Prep Area with Sink, Against Wall	Corian SS	None



PRICE GROUP 2 - HDPE PREMIUM COLORS

Type	Part #	Description	Countertop	Appliances
Island Style	OALSLPASI	L Shaped - Large Prep Area with Sink, Island Style	None	None
Island Style	OALSLPASI	L Shaped - Large Prep Area with Sink, Island Style	Corian SS	None
Against Wall	OALSLPASW	L Shaped - Large Prep Area with Sink, Against Wall	None	None
Against Wall	OALSLPASW	L Shaped - Large Prep Area with Sink, Against Wall	Corian SS	None

* Optional Appliances available. See catalog for options that are appropriate for each configuration

** Optional Door/Drawer Pulls available. See catalog for design options.

L Shaped - Large Prep Area with Sink



Blaze BCM 32-Inch 4-Burner Gas Grill



- Designed for long-term performance and backed by Blaze’s best-in-class life-time warranty with a 3-year commercial coverage
- Premium cast 304 stainless steel burners deliver 14,000 BTUs of cooking power each
- Heavy-duty 9 mm triangular stainless steel rods provide strong heat retention perfect for searing
- Streamlined knob design gives you easy, precise control over each cooking zone
- Heat zone dividers allow you to manage multiple temperature zones across the grill
- Push-and-turn flamethrower ignition delivers fast, dependable startups

Blaze BCM 32-Inch 4-Burner Gas Grill
Model Number
BLZ-4BCM-LP/NG (Liquid Propane or Natural Gas)
BLZ-4-IJ (Insulating Jacket/Liner)
* Please note that an insulated jacket model # BLZ-4-IJ is required for use with Open Air Outdoor Cabinetry
** Minimum Cabinet Required: 37" Wide x 27" Deep Grill Base Cabinet

Description

Introducing the Blaze Builder Classic Model (BCM)—a no-nonsense gas grill designed for dependable, commercial-style performance at an approachable price. Built from durable 304-grade stainless steel, the BCM is engineered for long-lasting use in backyards, shared spaces, and multifamily environments. Its simplified design focuses on function, durability, and consistent results, making it easy for any outdoor cook to grill with confidence.

The BCM delivers the performance you expect from Blaze, without unnecessary extras. High-powered cast stainless steel burners provide reliable heat across the cooking surface, while the double-lined grill hood helps lock in temperature and protect the exterior from heat discoloration. Whether you’re searing steaks or managing multiple dishes at once, this grill gives you full control over every inch of space.

Blaze Grills Premium LTE+ Series



Blaze 32-Inch 4-Burner Premium LTE+ Gas Grill with Rear Burner and Built-in Lighting System

Model Number

BLZ-4LTE3-LP/NG (Liquid Propane or Natural Gas)

BLZ-4LTE3MG-LP/NG (Liquid Propane or Natural Gas) - Marine Grade 316L Stainless Steel

BLZ-4-IJ (Insulating Jacket/Liner)

* Please note that an insulated jacket model # BLZ-4-IJ is required for use with Open Air Outdoor Cabinetry

** Minimum Cabinet Required: 37" Wide x 27" Deep Grill Base Cabinet

- The Blaze Premium LTE+ grill includes all the same impressive features as the original Premium LTE model but with a new and improved lighting system, new knob design and spring-assist hood
- 4 commercial quality 304 cast stainless steel burners
- 14,000 BTUs of cooking power per burner, for a total cooking surface of 56,000 BTUs
- 10,000 BTU infrared rear rotisserie burner
- Total grill BTUs equal 66,000
- Heavy 9mm triangular stainless steel cooking rods maximize durability and produce distinguished sear marks
- 715 square inches of total cooking space
- Push and turn flame-thrower primary ignition system delivers a fast start every time
- Flash tube ignition and crossovers provide an alternate ignition option
- Removable warming rack
- Heat zone separators divide the cooking surface into individual temperature zones
- Flame stabilizing grids minimize flare-ups while adding a grilled flavor
- Full-width drip tray for quick clean up
- Illuminated control knobs for evening gatherings creates a sophisticated appearance
- Interior lights help navigate the grilling surface at night
- Double-lined grill hood protects outer layer from heat discoloration and maintains more heat
- Blaze Grills offers an impressive Lifetime Warranty

Description

We took our bestselling Premium LTE and made it better, thanks to strategic engineering enhancements. The Premium LTE+ includes a new lighting system that allows the now improved interior lights to stay on during use for increased visibility, plus the control knobs change to red when in position. This model also includes an innovative hood assist mechanism which makes the grill easier to open and close, for more efficient cooking. Blaze gas grills feature precision cut, 304 stainless steel components which bring the promise of lasting durability to your outdoor BBQ. Available as a freestanding grill on a cart or built right into your outdoor kitchen island. Blaze gas grills have a lifetime warranty that warrants against any defects in the manufacturing and workmanship of the main burners, cooking grids, body, flame tamers, heat zone separators, warming rack, and control valves. While ignition, electronic, and lighting systems are covered for one (1) year after the date of purchase. Grills must be registered within thirty days for the warranty to apply.

Blaze Grills Professional LUX Series



- 3 commercial quality 304 cast stainless steel H burners
- 18,000 BTUs of cooking power per burner, for a total of 54,000 BTUs
- 10,000 BTU infrared rear rotisserie burner with included rotisserie kit
- Rotisserie kit includes a waterproof motor
- Heavy 12mm stainless steel hexagon cooking rods maximize durability
- 816 square inches of total cooking space
- Push and turn flame-thrower primary ignition system delivers a fast start every time
- Individual flash tube secondary ignition
- Removable warming rack
- Heat zone separators divide the cooking surface into individual temperature zones
- Flame stabilizing grids minimize flare-ups while adding a grilled flavor
- Full-width drip tray for quick clean up
- Double-lined grill hood protects outer layer from heat discoloration and maintains more heat
- Illuminated control knobs for evening gatherings creates a sophisticated appearance
- Interior lights help navigate the grilling surface at night
- Blaze Grills offers an impressive Lifetime Warranty

Blaze Professional LUX 34-Inch 3 Burner Built-In Gas Grill With Rear Infrared Burner

Model Number

BLZ-3PRO-LP/NG (Liquid Propane or Natural Gas)

BLZ-3PRO-IJ (Insulating Jacket/Liner)

* Please note that an insulated jacket model # BLZ-3PRO-IJ is required for use with Open Air Outdoor Cabinetry

** Minimum Cabinet Required: 39" Wide x 27" Deep Grill Base Cabinet

Description

Blaze presents the Blaze Professional LUX Grill as a leader in the industry regarding the thickness of its components resulting in irrefutable durability while providing an effective cooking system. By the precision mixing of fuel and oxygen, Blaze Professional LUX achieves extraordinary searing temperatures while maintaining low gas consumption per burner when compared to the top performing grill brands. The Professional's Illumination system compliments its unmistakable style giving an appearance to catch every admiring eye! As of March 15, 2016 – Blaze gas grills have a lifetime warranty that warrants against any defects in the manufacturing and workmanship of the main burners, cooking grids, body, flame tamers, heat zone separators, warming rack, and control valves. While ignition, electronic, and lighting systems are covered for one (1) year after the date of purchase. Grills must be registered within thirty days for the warranty to apply.

Blaze 30-Inch Built-in Gas Griddle LTE



- Stainless steel U-shaped burners provide exceptionally even heat across the griddle surface
- 18000 BTUs of cooking power per burner, for a total of 36000 BTUs
- Reliable flame thrower ignition makes lighting the griddle simple
- Full width grease trough directs grease down into the drip tray for easy cleanup
- Heavy-duty 304 stainless steel construction for durability and longevity
- Stainless steel lid protects the griddle when not in use
- Illuminated control knobs for evening gatherings creates a sophisticated appearance
- Blaze Grills offers an impressive Life-time Warranty

Blaze 30-Inch Built-in Gas Griddle LTE

Model Number

BLZ-GRID-LTE-LP/NG (Liquid Propane or Natural Gas)

BLZ-GRIDDLE-IJ (Insulating Jacket/Liner)

* Please note that an insulated jacket model # BLZ-GRIDDLE-IJ is required for use with Open Air Outdoor Cabinetry

** Minimum Cabinet Required: 35" Wide x 27" Deep Grill Base Cabinet

Description

Expand your outdoor cooking into new realms with the Blaze built-in gas griddle. This Blaze built-in gas griddle is equipped with two commercial quality, 304 stainless steel U-shaped burners that each deliver 18,000 BTUs of cooking power for a total of 36,000 BTUs across the 495 square inch cooking surface. Push and turn flame-thrower primary ignition, backup flash tube secondary ignition and cross tubes ensure a steady, reliable flame with every start. A full-width grease trough with a hole in the center directs grease down to the drip tray below for easy cleaning. This ETL certified gas griddle is constructed entirely with heavy-duty, 304 grade stainless steel and includes a stainless steel lid to cover the griddle plate when not in use. Blaze gas griddles have a lifetime warranty that warrants against any defects in the manufacturing and workmanship of the main burners, griddle plate, body, and control valves. While the ignition system and electronics are covered for one (1) year after the date of purchase. Product must be registered within thirty days for the warranty to apply.

Blaze 26-Inch Gas Outdoor Pizza Oven With Rotisserie



- Stylish design supported by heavy-duty 304 stainless steel with a lifetime warranty for peace of mind
- A 17" rotating ceramic pizza stone that delivers pizza perfection and is beginner friendly
- A vertical rotisserie rod with drip tray and two cooking racks for endless options in addition to pizza
- Tubular burners offer the capability to cook low and slow at 270 degrees or rip as high as 550 degrees while using the dual cooking racks — pizza stone is heated directly and can reach 700 degrees for pizza and any other foods that require serious heat
- A digital screen with connected meat probes for the most accurate cooking times
- Interior lighting and double-pane glass oven doors for easing viewing that prevents a loss of heat when peeking at your pizza
- Propane or natural gas compatible, and a conversion kit is included if you should need to change

Blaze 26-Inch Gas Outdoor Pizza Oven With Rotisserie

Model Number

BLZ-26-PZOVN-LP/NG (Liquid Propane or Natural Gas)

BLZ-26-PZOVN-IJ (Insulating Jacket/Liner)

* Please note that an insulated jacket model # BLZ-26-PZOVN-IJ is required for use with Open Air Outdoor Cabinetry

** Minimum Cabinet Required: 31" Wide x 27" Deep Grill Base Cabinet

Description

Experience the next level of outdoor cooking with the Blaze Pizza Oven. Far more than your average pizza oven, the Blaze Pizza Oven is a top-of-the-line product destined to make your backyard the destination for deep-dish, flatbread, or any other style of pizza. But the versatility doesn't stop there — not when your pizza oven can also cook up dishes like a sumptuous rack of lamb, mouth-watering steak, or whatever your heart desires, thanks to a vertical rotisserie rod and double cooking racks. Add two digital meat probes that ensure perfection with each cook, and you'll see that this powerful (and sleek) outdoor oven can truly do it all.

Blaze Outdoor Kitchen Fridges



- White LED-lit cabinet will never leave you fumbling for drinks in the dark
- Digital thermostat dials in precise temperatures, while the display lets you confidently track them
- Elegantly crafted with 304-grade stainless steel, the undisputed champion of durability in the elements
- Spacious refrigerator can hold up to 152 cans for entertaining even the largest crowds
- Blaze has your back with best-in-class customer service and a 1-year limited warranty

Blaze 24-Inch Outdoor Refrigerator

Model Number

BLZ-SSRF-5.5

Dimensions

34.13" H × 23.81" W × 23.63" D

Cut Out Dimensions

34 7/16" H × 24" W × 25 3/4" D



- 24" beverage center's glass front lets you check the cooler's contents at a glance
- Your choice between beech shelving and glass shelves for personalized aesthetics
- White LED-lit interior provides a clean look while allowing you to grab what you need at night
- Digital thermostat and temperature display keep you in control of the chill
- Spacious cooler can hold 84 cans and 22 wine bottles, or 42 cans and 62 wine bottles — making it perfect for entertaining crowds of different tastes
- 304-grade stainless steel is the ultimate material for long-lasting durability in the outdoors
- 1-year limited warranty and top-notch customer support have you covered
- Sleek beverage center easily transforms into a wine fridge with added beech shelving

Blaze Glass Front 24" Outdoor Beverage Cooler

Model Number

BLZ-GDBEV-5.5

Dimensions

34.13" H × 23.81" W × 23.63" D

Cut Out Dimensions

34 7/16" H × 24" W × 25 3/4" D

Blaze 36-Inch Vent Hood



- 36" canopy depth maximizes the capture range of the vent hood
- 1000 CFM 4 speed motor provide exceptional smoke removal
- Higher allowable install height creates a more comfortable work area
- 4 adjustable halogen lights illuminate your cooking surface any time of day or night
- Innovative grease free retractable controls with lighted facing

Description

Ventilating an outdoor cooking space can be challenging due to the increased amount of smoke produced by outdoor cooking equipment. This Outdoor Vent Hood pairs a deeper hood canopy with a powerful 1000 CFM motor system to effectively clean the air from the grilling area. The industry leading 36" depth of the Blaze Hood protrudes further over the cooking space capturing more smoke when the grill lid is opened. The Blaze Outdoor Vent Hood's powerful suction and increased depth allows an installation further away from the cooking surface. This offers both an easier view of the cooking area along with increased comfort for the chef.

Blaze 36-Inch Vent Hood

Model Number

BLZ-36-VHOOD

* Dimensions: 18" High x 36" Wide x 36" Deep

** Weight 136 Lbs

Blaze Premium LTE+ Side Burner



- LED illuminated control system with safety glow lighting
- Two heavy duty 12,000 BTU brass burners provide superior heat output
- Stainless steel construction is durable in an outdoor environment
- Removable stainless steel cover shields burners from outdoor elements
- Push and turn knob ignition system delivers a reliable flame with every start
- Full-width drip tray for quick clean up

Blaze Premium LTE+ Side Burner

Model Number

BLZ-SB2LTE3-LP/NG (Liquid Propane or Natural Gas)

BLZ-SB2-IJ (Insulating Jacket/Liner)

* Please note that an insulated jacket model # BLZ-SB2-IJ is required for use with Open Air Outdoor Cabinetry

** Minimum Cabinet Required: 17" Wide x 27" Deep Side Burner Cabinet

Blaze Premium LTE+ Power Burner



Blaze Premium LTE+ Power Burner

Model Number

BLZ-PBLTE3-LP/NG (Liquid Propane or Natural Gas)

BLZ-PB-IJ (Insulating Jacket/Liner)

* Please note that an insulated jacket model # BLZ-PB-IJ is required for use with Open Air Outdoor Cabinetry

** Minimum Cabinet Required: 21" Wide x 27" Deep Side Burner Cabinet

- Efficient design brings water to a boil in half the time compared to other power burners on the market
- A narrow width of 15¾" allows for more room for other accessories or more counter space
- Stainless steel guard surrounds the burner rings protecting them from the wind and concentrates heat for maximum efficiency
- LED illuminated control system with safety glow lighting
- Push and turn knob ignition system delivers a reliable flame with every start
- Removable stainless steel cover shields burners from outdoor elements
- Full-width drip tray for quick clean up
- A power transformer is included for the lights

Blaze Professional Built-in Power Burner



Blaze Professional Built-in Power Burner

Model Number

BLZ-PROPB (Liquid Propane or Natural Gas)



BLZ-PROPB-IJ (Insulating Jacket/Liner)

* Please note that an insulated jacket model # BLZ-PROPB-IJ is required for use with Open Air Outdoor Cabinetry

** Minimum Cabinet Required: 21" Wide x 27" Deep Side Burner Cabinet



- Efficient design brings water to a boil in half the time compared to other power burners on the market
- A narrow width of 15¾" allows for more room for other accessories or more counter space
- Stainless steel guard surrounds the burner rings protecting them from the wind and concentrates heat for maximum efficiency
- Illuminated control knobs for evening gatherings creates a sophisticated appearance
- Push and turn knob ignition system delivers a reliable flame with every start
- Removable stainless steel cover shields burners from outdoor elements
- Full-width drip tray for quick clean up
- A power transformer is included for the lights

Base Cabinet with One Drawer and One/Two Door




- Comes with (1) Shelf
- Depth is to cabinet face without the door. The door plus the spacer will add about 7/8" to the overall depth.
- 6" Drawer available in "Simple" Style only.

Base Cabinet with One Drawer and Center Closing Doors




- Comes with (1) Shelf
- Depth is to cabinet face without the door. The door plus the spacer will add about 7/8" to the overall depth.
- 6" Drawer available in "Simple" Style only.

Blind Corner Base Cabinet





- Door Hinge is always on the same side as the Blind side panel.
- Depth is to cabinet face. The door will add about 7/8" to the overall depth.
- Comes with (1) Shelf.

Pull-Out Door/Hinged Door Trash Cabinet with One Large Can and Top Drawer





- Refer to configuration if Trash Cabinet is a Pullout Door, Left Hinge or Right Hinge Door.
- Depth is to cabinet face. The drawer will add about 7/8" to the overall depth.
- Large 37 Qt. Trash Can dimensions are 9.875" wide x 18.875" deep x 18" high.
- 6" Drawer available in "Simple" Style only.

Drawer Base Cabinet with Three Drawers





- Depth is to cabinet face. The drawer will add about 7/8" to the overall depth.
- 6" Drawer available in "Simple" Style only.

Sink Cabinet



- Depth is to cabinet face. The door will add about 7/8" to the overall depth.
- 6" Sink Apron available in "Simple" Style only.

Grill Burner and Side Burner Base Cabinet



* Example of required Insulated Liner

- On all single door cabinets specify left or right hinge.
- 27" Depth is to cabinet face without the door. The door plus the spacer will add about 7/8" to the overall depth.
- Grill Cabinet is determined from the Insulated Liner specifications, not the size of the grill.

Grill and Side Burner:

The following two pieces of information will be required in order to produce your Grill or Side Burner cabinet.

1. Provide the exact thickness of the countertop (Ex. 1.25" Granite, 2" thick concrete or tile, etc.). Natural Granite thickness can vary, so it is recommended to supply us with the actual measured thickness of the granite.
2. Provide the manufacturer and model numbers of the grill and the required insulating liner.

We will cut the front apron of the cabinet to accommodate the grill you are using. In order to select the proper cabinet size, you should add 4" to the overall width of the insulating liner, and then select the next closest size cabinet. For example:

A grill model calls out an overall 37-5/8" wide insulating jacket.

Add 4" which will allow 2" of room on either side of the liner.

Choose a 42" wide grill cabinet, which is the next largest size greater than 41-5/8".

$$\begin{array}{r} 37-5/8 \\ + 4 \\ \hline 41-5/8 \end{array}$$

CAUTION: It is a requirement that you use a grill that comes with a factory-manufactured insulating liner. Most premium grills are available with insulating liners. Most side burners do not require an insulated liner. Check the manufacturers requirements for installation in combustible cabinetry.

Limited Lifetime Warranty

Although this has rarely happened, DeSavino & Son's will repair or replace cabinetry which proves to be defective in material or workmanship under normal residential use for the lifetime of the original purchaser. This is our guarantee to you, our valued customer.

Please note, this warranty is not transferable and is expressly limited to the cabinet carcass, base, doors, drawers, shelves, and polymer drawer (Not Drawer Slides).

Separate components not manufactured by DeSavino & Son's such as grills, refrigerators, countertops, casters, stainless steel drawer slides, and accessories may be covered by a separate manufacturer's warranty, but are not covered by this Limited Lifetime Warranty.

Items not specifically listed in this warranty are not covered by this warranty. No other warranty, express or implied, is applicable to this product. DeSavino & Son's shall not be liable for the loss of use of the product, inconvenience, loss or any other damages, direct or consequential, arising out of the use of or inability to use this product.

Our warranty does not apply to cabinets that have been improperly installed, misused or modified. This warranty does not apply to the natural aging of the finish. This warranty applies only to manufacturer defects and does not apply to natural aging or wear and tear.

The above warranty is limited to the repair or replacement of the defective part at the discretion of DeSavino & Son's and does not include service trip(s) expenses necessary for removal labor, shipping, or inspection, replacement or delivery of defective parts. Parts replaced under this warranty are not guaranteed for color match. Defective cabinet parts are subject to a one time replacement. Components and products not manufactured by DeSavino & Son's will carry the warranty of the original manufacturer and are subject to availability from our supplier.

To obtain warranty coverage: Retain your bill of sale and copy of this warranty statement to prove original purchase and warranty terms in effect at the date of your sale. Warranty requests must be accompanied by photographs of the cabinetry as installed to document the defect. Warranty requests will not be processed without proof of purchase and proper documentation. A copy of the sales receipt must be submitted at the time warranty service is requested.

Movable carts including the Kamado Grill Caddy line are limited to a three (3) year warranty period.

Natural Wood Species Doors and other Natural Wood Species components which includes Brazilian Cherry and Teak are NOT covered under our Limited Lifetime Warranty and do not include any separate manufacturers warranty.

Return Policy

Keeping in mind that all of our project and cabinets are custom made and tailored toward our individual customers, there can be no refunds or exchanges. A rare flaw in our construction or craftsmanship may be returned to us within 14 days, but you must call or email us immediately for authorization upon receipt, so we ask that you take a look at our delivered product making sure it is to your liking and exactly what you have order as it is our wish to make all of our customers happy and 100% satisfied.. Defective Items can be returned for EXCHANGE ONLY of same product.

We ask that our customers inspect the package and the custom made products carefully upon receiving them, sometimes, in the delivery process which is out of our control, damages do occur, accept the shipment and we also ask that you notate any damages and irregularities, such as crushed, torn, punctured, or broken parts on both the packaging and the product, on the freight bill or receipt at the driver's presence. We also ask our customers retain all boxes, packing materials, and damaged goods for the deliverer's damage inspector to inspect. A signed receipt without any notation indemnified the carrier as well as us from any further damage claims. Do not refuse shipment or return it without approval, because the buyer's right to make a damage claim may be denied. If damages are discovered after a cleared delivery they then become the responsibility of the customer.

All damaged items must be notified to deliverer and our company within 24 hours. In cases of damage with proper notation on receipt, the carrier will determine whether to pay for repair cost or replacement value of the damaged goods after damage inspection. Replacement value is the amount the buyer paid to us and is not negotiable. All disputes about the settlement amount should be addressed with the carrier. We under no circumstances shall be liable for the damaged product or for subsequent settlement of the claim with the carrier.

Orders will be shipped out via Ground Shipment in single or multiple boxes depending on the product. Once the shipment is delivered, it is the responsibility of the customer to protect the order from weather and other things that may damage the contents (heat, cold, water, blunt force, etc). Please inspect the shipment for damage prior to accepting delivery of the shipment. Claims for damage must be submitted against the carrier.

Empty pallets and packaging materials such as plywood, cardboard, and foam are to be discarded by the customer at the customer's expense. In some cases additional charges may apply due to an inaccessible delivery address, island/rural deliveries (where there is no road to the delivery address), rural, multi-level apartment/condo buildings, deliveries to the city of New York, and various other obstacles. The customer will be responsible for coordinating and paying for additional services required delivering the order.

Changes/Corrections/Cancellations

Please make all corrections at the time that you receive confirmation verification. If you have a correction or change in your order, please fax them to us immediately.

Cancellation of an order after confirmation/verification will result in a charge of the amount of materials and labor that has already been accrued in our custom manufacturing process plus an additional 20% charge.

Shipping Information:

Please be aware, our custom made products are built tough and are very heavy, we ask that you arrange to have someone that can help you handle your outdoor cabinets when they are delivered.

Your product order will ship via Ground Shipment to your business or residence address. We shall provide all of the relevant tracking information prior to shipment.

All cabinetry will be sent to the Dealers Location verified on the Dealer Form. All cabinetry is delivered either Assembled or Flat Packed via ground delivery. Dealer must have a representative available to receive cabinetry, verified quantities, and document any damages on bill of lading. An additional shipping fee will be applied to orders under \$1,000. Dealer will be notified prior to shipping the balance due and the estimated delivery date.

There is a \$150.00 fee for lift gate delivery and a \$100.00 fee for residential delivery. Consignee notification is an additional \$50.00.

Other Questions

How long will it take to install your cabinetry?

Depending on the amount of cabinets involved in the installation, it will take 1-2 days. .

Can the cabinets be painted?

No. The cabinets are colored throughout the material.

How are the cabinets constructed?

Cabinets are designed to be assembled with our supplied hardware. The panels are already cut and drilled to accept the hardware to guarantee correct assembly.

How will I clean the cabinets?

Just wash with a soap and water and hose or pressure washer when it gets dirty.

Can the cabinets be in direct sunlight?

Yes. They may be set directly in the sunlight.

Will the cabinet colors ever fade?


No. The UV inhibitors will prevent cabinetry from fading.

Do the cabinets have sealed doors or drawers (with a gasket)?

No. They are not watertight. They are waterproof.

The difference is that water will not harm the structure or integrity of the cabinet. By design, there are small gaps between the doors and drawers, they are not gasketed with a watertight seal. For most designs, this is sufficient to keep your items safe from the weather.

To help prevent direct rainwater from dripping into the cabinet, it is recommended to have a sufficient countertop overhang (2" from the face of the cabinet). Also, your granite fabricator should "saw cut" a groove to the underside of the front of the granite countertop to help prevent water from running down the face and traveling inside the cabinet.



Lead Time:

Normal lead time is approximately 4 weeks from the time the signed confirmation order and payment is received.

Orders:

All orders must be supplied with a quote and customer approved signed drawings. ***Orders will not be processed until customer approved signed drawings are received.***

Order Confirmation:

All order confirmations **must** be signed by an authorized representative of the dealer. It is the responsibility of the dealer to correctly fill out the order form including verifying color, door/drawer style, sizes and quantities or product.

Payment Methods:

Upon credit approval, terms will be Net 30. Otherwise, a 50% deposit is required when confirmation is made. The balance must be received before shipment. Credit card, company checks, money orders, certified funds or wire transfer are acceptable methods of payment. All sales tax will be added to confirmation.

Grill Bases:

The manufacturer's approved heat insulating jacket must be used with any grills used in Outdoor Cabinetry grill bases.

.....



DeSavino & Son's
1003 Underwood Road | Olyphant, PA 18447
P: (888) 889-2314 | F: 570-382-8237
e-mail: orders@openaircabinetry.com
openaircabinetry.com

LO1-1025 REV 3/26